

# HOLYTEK

## PROFILE EDGE SANDER SERIES



**MODEL:CF-S1**


STRAIGHT EDGE SANDER	CF-S1
Sanding belt drive motor	3HP 4P/8P X 1PC
Oscillation motor	1/8 HP X 1PC
Sanding belt speed (2 speed)	705-1408 M/min
Sanding belt speed (infinitely variable speed)	1405M/min(OPTIONAL)
Sanding belt width	30-90M/M
Sanding belt length	2450M/M
Feeding motor	1/2HP x 1 PC
Feeding speed (infinitely variable speed)	0-28M/min
Conveyor width	60M/M
Range of work piece size	Length:150-1800M/M Width:30-200M/M (Optional: more than 200M/M) Thickness: 5-75M/M (Optional: more than 75M/M)



ROUND SHAPE PROFILE SANDER	R-300
Range of work piece diameter	300 M/M
Sanding belt drive motor	3HP 4/8P x 1 PC
Oscillation motor	1/8 HP x 1 PC
Sanding belt speed(2 speeds)	1405/705 M/min
Sanding belt speed (infinitely variable speed)	1405M/min(OPTIONAL)
Sanding belt width	30 – 90 M/M
Sanding belt length	2450 M/M
Feeding motor	1/4 HP x 1 PC
Feeding speed (infinitely variable speed)	0-28 M/min
Feeding Roller size	100(D) x 50(H) x 25(B) x 1 PC
R-300:Range of work piece diameter: 300M/M	
R-600: Range of work piece diameter:600 M/M	
R-1000:Range of work piece diameter: 1000 M/M	



**MODEL:R-300**



**MODEL:CF-S1N**

STRAIGHT EDGE SANDER	CF-S1N
Sanding belt drive motor	3HP 4P/8P x 2 PCS
Oscillation motor	1/8 HP x 2 PCS
Sanding belt speed (2 speeds)	705-1405 M-min
Sanding belt speed (infinitely variable speed)	1405M/min(OPTIONAL)
Sanding belt width	30-90 M/min
Sanding belt length	2450 M/M
Feeding motor	1/2 HP x 2 PCS
Feeding speed (infinitely variable speed)	0-28 M/min
Conveyor width	60 M/M
Pressure type	Fix rolles

Length:150-1800M/M

Range of work piece size

Width:30-200M/M(Optional: more than 200M/M)

Thickness: 5-75M/M(Optional: more than 75M/M)



**MODEL:FT-S1**

VERTICAL EDGE SANDER	FT-S1
Sanding belt motor	3 HP 4P/8P x 1PC
Oscillation motor	1/8 HP x 1 PC
Sanding belt speed (2 speeds)	705 – 1405 M-min
Sanding belt speed (infinitely variable speed)	1405M/min(OPTIONAL)
Sanding belt width	30-90 M/M
Sanding belt length	2450M/M
Motor for blowing hole and floating ball table	1 HP x 1PC
Work table size	1200x560M/M



MODEL: FT-B1

VERTICAL BRUSH SANDER	FT-B1
Brush motor	2HP x 1 PC
Spindle speed (infinitely variable speed)	0-1800RPM
Spindle diameter	40 M/M
Brush wheel size	300x200L M/M x 1 PC
Motor for blowing hole and floating ball table	1 HP x 1 PC
Work table size	700 x 1200 M/M



MODEL: FT-B2

VERTICAL BRUSH SANDER	FT-B2
Brush motor	2HP x 2 PCS
Spindle speed (infinitely variable speed)	0-1800RPM
Spindle diameter	40 M/M
Brush wheel size	300x200L M/M x 2 PCS
Motor for blowing hole and floating ball table	2 HP x 1 PC
Work table size	700 x 1700 M/M

# HOLYTEK

**HOLYTEK INDUSTRIAL CORP.**

9F-2, NO. 388, SEC. 1, CHANG PING RD., TAICHUNG, TAIWAN. R.O.C.

TEL: 886-4-2245-2818(Rep.) FAX: 886-4-2243-6928

E-mail: holytek@ms13.hinet.net <http://www.holytek.com.tw>